



ALLAN'S

LANDSCAPING LTD.

2026 - Pricelist



PAVING STONES,
SLABS &
EDGERS

📍 777 60th Street West, Saskatoon SK

📞 306-384-4763

Collection Contents

2026

Paving Stones & Slabs

Permeable Pavers

Aqualine	4
----------	---

2 Piece Sets

Cobblestone	6
-------------	---

3 Piece Sets

Basalt	8
--------	---

Charlestone	10
-------------	----

Dimensions	12
------------	----

Origins	18
---------	----

Papyrus	24
---------	----

Collections

Belgian Cobble	26
----------------	----

Brickstone	28
------------	----

Brooklyn	30
----------	----

Dimensions Accent	32
-------------------	----

Heritage Stone	36
----------------	----

Holland	38
---------	----

Old Country Stone	40
-------------------	----

Origins	42
---------	----

Turfstone	44
-----------	----

VS5	46
-----	----

Windsor	48
---------	----

Designer Slabs

Brickface Slab	50
----------------	----

Cobbleface Slab	52
-----------------	----

Manhattan Slab	54
----------------	----

Old Town Paver	56
----------------	----

Quadral Slab	58
--------------	----

Slate Slab	60
------------	----

Saranak Slab	62
--------------	----

Concrete Patio Slabs

Diamond	64
---------	----

Patio	66
-------	----

Texada	68
--------	----

Planks

Empire	70
--------	----

Venice Plank Paver	72
--------------------	----

Shaped Slabs

Flagstone	74
-----------	----

Hexagon	76
---------	----

Stepping Stones

Round	78
-------	----

Exposed	80
---------	----

Prices may be changed at any time without further notice. We reserve the right to change our product's prices at any time without further notice. Please call for our latest pricing. All prices are subject to applicable taxes.

allanslandscaping.com

777-60th Street West, Saskatoon SK



Holland



Empire



Cobblestone

Collection Contents

2026

Circle Kits

Circlestone Circle Kit	82
------------------------	----

Paver Edger

Bullet Edger	84
Icon Edger	84
Stratus Edger	84
Plastic Edging	86

Additional Resources

Cutting Bricks	87
Ordering Bricks	88
In-Stock Bricks	89
Picking Up Bricks	90
Delivering Bricks	91
Brick Return	92
Pallet Return	93
Laying Patterns	94

Prices may be changed at any time without further notice. We reserve the right to change our product's prices at any time without further notice. Please call for our latest pricing. All prices are subject to applicable taxes.

allanslandscaping.com

777-60th Street West, Saskatoon SK



Half Hexagon



Venice Plank



Origins 12

AQUALINE™

Permeable Paver | 80mm

Environmentally-friendly, timeless aesthetics provide effective rainwater management in both pedestrian and vehicular applications.



 DURAFUSION TECHNOLOGY

 DRIVEWAY APPROVED

 MECHANICAL INSTALL

 PERMEABLE APPLICATION

 ACCESSIBLE SURFACE

PALLET INFORMATION

AQUALINE™		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
PAVER	110 x 221.5 x 80mm 4 ⁵ / ₁₆ x 8 ³ / ₄ x 3 ¹ / ₈ "	73.7	280	10.5	7	1225 kg / 2700 lbs

SHAPES & SIZES

PAVER



110 x 221.5 x 80mm
4⁵/₁₆ x 8³/₄ x 3¹/₈"

\$2.56 ea



MIDNIGHT 



NATURAL 



SHADED GREY 

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



TECHNICAL SPECS

- Interlocking spacer bars for increased structural performance
- Surface and micro-chamfer are ACA (Accessible Canada Regulation) compliant and minimize wheelchair vibration
- True installed dimensions for design optimization
- Optimal joint openings for infiltration and maintenance
- Can eliminate stormwater runoff and improve water quality
- Meets the requirements of ASTM C936
- Chamfer Width: 3 mm
- Spacer Bar Width: 10 mm
- Surface Infiltration Rate: > 500 inches per hour (varies based on joint infill gradation)
- Surface Open Area: 10%
- Can be installed mechanically with herringbone pallet layout



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture.

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the out sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

COBBLESTONE

Paver | 60mm

Cobblestone is available in two sizes and is the perfect choice for transforming your outdoor spaces. Their compact size allows for easy installation, creating a visually stunning and functional surface.



WALKWAY



PATIO



POOL
AREA



DRIVE
WAY

PALLET INFORMATION

COBBLESTONE		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
COBBLE 2 PIECE SET	117.5 x 174.6 x 63.5 mm 4 ⁵ / ₈ x 6 ⁷ / ₈ x 2 ¹ / ₂ "	-	288 (144 SETS)	-	-	1437 kg / 3168 lbs
	117.5 x 117.5 x 63.5 mm 4 ⁵ / ₈ x 4 ⁵ / ₈ x 2 ¹ / ₂ "	-	-	-	-	-

SHAPES & SIZES

2 PIECE SET



4⁵/₈ x 6⁷/₈ x 2¹/₂ "
4⁵/₈ x 4⁵/₈ x 2¹/₂ "

\$2.58 per set



GREY/CHARCOAL



WALNUT



RED/TAN/CHARCOAL



TAN/CHARCOAL

TECHNICAL SPECS

- Versatile two-piece paver set ideal for a variety of residential applications
- Can be used as a primary paving surface or as an accent and border element
- Suitable for walkways, patios, pool areas, accents, borders, and residential driveways
- Multiple laying patterns can be created using the two-piece format
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

BASALT

3-Piece System | 60mm

The distinctive character of flame-textured stone meets design and installation efficiency.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY

ACCESSIBLE
SURFACE

PALLET INFORMATION

BASALT 3-PIECE		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
BASALT 60MM	230 x 457 x 60mm 9 x 18 x 2 3/8"	112.5	50	-	10	1450 kg / 3202 lbs
	457 x 457 x 60mm 18 x 18 x 2 3/8"					
	457 x 685 x 60mm 18 x 27 x 2 3/8"					

SHAPES & SIZES

BASALT | 60MM



230 x 457 x 60mm
9 x 18 x 2 3/8"



457 x 457 x 60mm
18 x 18 x 2 3/8"



457 x 685 x 60mm
18 x 27 x 2 3/8"

\$9.32 per SqFt



MIDNIGHT 


TECHNICAL SPECS

- Distinctive texture of flamed or hammered stone
- Ideal for use as either the primary field, or as an accent or border
- Sizing compatible with all Belgard modular paver lines. Look for the Modular Paver icon
- Applications include walkways, patios, accents, borders and residential driveways



DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture.



SCANDINA GREY 

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

CHARLESTONE™

3-Piece Paver | 60mm

Reminiscent of early American streets, these pavers offer the look of hand-cobbled stone and are enriched with DuraFusion Technology for enhanced texture and wear-resistance.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



DRIVEWAY
APPROVED



MECHANICAL
INSTALL

PALLET INFORMATION

CHARLESTONE™		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
3-PIECE 60MM	152 x 152 x 60mm 6 x 6 x 23/8"	103.9	270	103.9	10	1360 kg / 3000 lbs
	115 x 229 x 60mm 6 x 9 x 23/8"					
	115 x 304 x 60mm 6 x 12 x 23/8"					

SHAPES & SIZES

3-PIECE | 60MM



152 x 152 x 60mm
6 x 6 x 23/8"



115 x 229 x 60mm
6 x 9 x 23/8"



115 x 304 x 60mm
6 x 12 x 23/8"

\$9.05 per SqFt



CHESWICK 



IRON BAY 



MIDNIGHT 

LEARN MORE

View the product page on Belgard.com for more information



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Pallet optimized for both mechanical and manual installation
- Particularly ideal for driveways and walkways



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture.

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the out sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

DIMENSIONS™ 6

3-Piece System | 60mm

The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimensions for contemporary style with enhanced colour and wear-resistance.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



DRIVEWAY
APPROVED



ACCESSIBLE
SURFACE

PALLET INFORMATION

DIMENSIONS™ 6 3-PIECE		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 6 60MM	76 x 152 x 60mm 3 x 6 x 23/8"	120	480	12	10	1525 kg / 3362 lbs
	152 x 152 x 60mm 6 x 6 x 23/8"					
	152 x 230 x 60mm 6 x 9 x 23/8"					

SHAPES & SIZES

DIMENSIONS 6 | 60MM



76 x 152 x 60mm
3 x 6 x 23/8"



152 x 152 x 60mm
6 x 6 x 23/8"



152 x 230 x 60mm
6 x 9 x 23/8"

\$8.01 per SqFt



ANTHRACITE 



CHESWICK 



HICKORY
Special Order 



SCANDINA GREY 



SEPIA 




SHADED GREY 

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



PALLET LAYOUT



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

DIMENSIONS™ 12

3-Piece System | 60mm | 80mm

The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimensions for contemporary style with enhanced colour and wear-resistance.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



ACCESSIBLE
SURFACE

PALLET INFORMATION

DIMENSIONS™ 12 3-PIECE		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 12 60MM	152 x 305 x 60mm 6 x 12 x 23/8"	120	120	12	10	1541 kg / 3398 lbs
	305 x 305 x 60mm 12 x 12 x 23/8"					
	457 x 305 x 60mm 18 x 12 x 23/8"					
DIMENSIONS 12 80MM	152 x 305 x 80mm 6 x 12 x 31/8" (32 pcs)	96	96	-	8	1648 kg / 3634 lbs
	305 x 305 x 80mm 12 x 12 x 31/8" (32 pcs)					
	305 x 457 x 80mm 12 x 18 x 31/8" (32 pcs)					

SHAPES & SIZES

DIMENSIONS 12 | 60MM



152 x 305 x 60mm
6 x 12 x 23/8"



305 x 305 x 60mm
12 x 12 x 23/8"



457 x 305 x 60mm
18 x 12 x 23/8"

\$8.01 per SqFt

DIMENSIONS 12 | 80MM



152 x 305 x 80mm
6 x 12 x 31/8" (32 pcs)



305 x 305 x 80mm
12 x 12 x 31/8" (32 pcs)



305 x 457 x 80mm
12 x 18 x 31/8" (32 pcs)

\$8.91 per SqFt



ANTHRACITE
80mm Special Order



CHESWICK



HICKORY
80mm Special Order



SCANDINA GREY



SEPIA
80mm Special Order




SHADED GREY
80mm Special Order

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



PALLET LAYOUT



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- 80mm system rated for residential vehicular applications
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration

 **DuraFusion® Technology**
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

DIMENSIONS™ 18

3-Piece System | 60mm

The smooth and consistent finish of DuraFusion Technology complements the clean lines and linear surface of Dimensions for contemporary style with enhanced colour and wear-resistance.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



ACCESSIBLE
SURFACE

PALLET INFORMATION

DIMENSIONS™ 18 3-PIECE		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
DIMENSIONS 18 60MM	230 x 457 x 60mm 9 x 18 x 23/8"	112.5	50	11.25	10	1450 kg / 3203 lbs
	457 x 457 x 60mm 18 x 18 x 23/8"					
	685 x 457 x 60mm 27 x 18 x 23/8"					

SHAPES & SIZES

DIMENSIONS 18 | 60MM



230 x 457 x 60mm
9 x 18 x 23/8"



457 x 457 x 60mm
18 x 18 x 23/8"



685 x 457 x 60mm
27 x 18 x 23/8"

\$8.01 per SqFt



ANTHRACITE 



CHESWICK 



HICKORY
Special Order 



SCANDINA GREY 



SEPIA 




SHADED GREY 
Special Order

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



PALLET LAYOUT



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration

 **DuraFusion® Technology**
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

ORIGINS™ 6

3-Piece System | 60mm

The refined, chiseled face of Origins is paired with DuraFusion Technology for a tighter texture and enhanced durability.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



DRIVEWAY
APPROVED



ACCESSIBLE
SURFACE

PALLET INFORMATION

ORIGINS™ 6 3-PIECE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 6	76 x 152 x 60mm 3 x 6 x 23/8"	120	-	12	10	1525 kg / 3362 lbs
	152 x 152 x 60mm 6 x 6 x 23/8"					
	152 x 230 x 60mm 6 x 9 x 23/8"					

SHAPES & SIZES

ORIGINS 6



76 x 152 x 60mm
3 x 6 x 23/8"



152 x 152 x 60mm
6 x 6 x 23/8"



152 x 230 x 60mm
6 x 9 x 23/8"

\$8.12 per SqFt



ASHWOOD
Special Order



CHESWICK



IRON BAY



NEWPORT GREY
Special Order




TEAK
Special Order

LEARN MORE

View the product
page on Belgard.com
for more information



PALLET LAYOUTS



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkway and residential driveways
- Suitable for ACA (Accessible Canada Regulation) compliant installations

 **DuraFusion™ Technology**
A bold, vibrant finish with
a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

ORIGINS™ 12

3-Piece System | 60mm | 80mm

The refined, chiseled face of Origins is paired with DuraFusion Technology for a tighter texture and enhanced durability.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



DRIVEWAY
APPROVED



ACCESSIBLE
SURFACE

PALLET INFORMATION

ORIGINS™ 12 3-PIECE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 12 60MM	152 x 305 x 60mm 6 x 12 x 23/8"	120	-	12	10	1541 kg / 3398 lbs
	305 x 305 x 60mm 12 x 12 x 23/8"					
	457 x 305 x 60mm 18 x 12 x 23/8"					
ORIGINS 12 80MM	152 x 305 x 80mm 6 x 12 x 31/8" (32 pcs)	96	-	-	8	1540 kg / 3395 lbs
	305 x 305 x 80mm 12 x 12 x 31/8" (32 pcs)					
	305 x 457 x 80mm 12 x 18 x 31/8" (32 pcs)					

SHAPES & SIZES

ORIGINS 12 | 60MM



152 x 305 x 60mm
6 x 12 x 23/8"

\$8.12 per SqFt



305 x 305 x 60mm
12 x 12 x 23/8"



457 x 305 x 60mm
18 x 12 x 23/8"

ORIGINS 12 | 80MM



152 x 305 x 80mm
6 x 12 x 31/8"

\$9.55 per SqFt



305 x 305 x 80mm
12 x 12 x 31/8"



305 x 457 x 80mm
12 x 18 x 31/8"



ASHWOOD 
Special Order



CHESWICK 



IRON BAY 
80mm Special Order



NEWPORT GREY 
80mm Special Order




TEAK 
80mm Special Order

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



PALLET LAYOUT



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- 80mm system rated for residential driveway installations
- Suitable for ACA (Accessible Canada Regulation) compliant installations



DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

ORIGINS™ 18

3-Piece System | 60mm

The refined, chiseled face of Origins is paired with DuraFusion Technology for a tighter texture and enhanced durability.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



ACCESSIBLE
SURFACE

PALLET INFORMATION

ORIGINS™ 18 3-PIECE		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
ORIGINS 18	230 x 457 x 60mm 9 x 18 x 23/8"	112.5	50	11.25	10	1450 kg / 3202 lbs
	457 x 457 x 60mm 18 x 18 x 23/8"					
	685 x 457 x 60mm 27 x 18 x 23/8"					

SHAPES & SIZES

ORIGINS 18



230 x 457 x 60mm
9 x 18 x 23/8"



457 x 457 x 60mm
18 x 18 x 23/8"



685 x 457 x 60mm
27 x 18 x 23/8"

\$8.12 per SqFt



ASHWOOD
Special Order



CHESWICK



IRON BAY



NEWPORT GREY




TEAK

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



PALLET LAYOUT



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Suitable for ACA (Accessible Canada Regulation) compliant installations



DuraFusion™ Technology
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

PAPYRUS™

3-Piece Paver | 60mm

An organic textural experience, this elegant paver’s unique face offers a hand-tooled look enriched with DuraFusion Technology for enhanced colour, texture and wear-resistance.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



ACCESSIBLE
SURFACE

PALLET INFORMATION

PAPYRUS™		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
3-PIECE MODULAR	230 x 457 x 60mm 9 x 18 x 23/8"	112.5	60	11.25	10	1452 kg / 3202 lbs
	457 x 457 x 60mm 18 x 18 x 23/8"					
	685 x 457 x 60mm 18 x 27 x 23/8"					

SHAPES & SIZES

3 - PIECE MODULAR



230 x 457 x 60mm
9 x 18 x 23/8"



457 x 457 x 60mm
18 x 18 x 23/8"



685 x 457 x 60mm
18 x 27 x 23/8"

\$9.74 per SqFt



SCANDINA GREY 

LEARN MORE

View the product page on Belgard.com for more information



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and pool decks
- Suitable for ACA (Accessible Canada Regulation) compliant installations



DuraFusion™ Technology
A bold, vibrant finish with a smoother, tighter texture



SEPIA 

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

BELGIAN COBBLE®

Paver | 60mm

Emulating the look of creek bed stones, this multi-piece system is enriched with DuraFusion technology for enhanced texture and wear-resistance. With seven unique shapes for creating natural random patterns, it can also be installed as a permeable system.



PALLET INFORMATION

BELGIAN COBBLE®		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
MULTIPIECE	Variable x 60mm Variable x 23/8"	74	320	7.4	10	814 kg / 1795 lbs

SHAPES & SIZES

MULTIPIECE



Variable x 60mm
Variable x 2 3/8"

\$9.99 per SqFt



MIDNIGHT 

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



TECHNICAL SPECS

- Seven unique shapes create a random pattern
- Ideal for use as either the primary field, or as an accent or border
- Can be installed as either a standard or permeable system
- Permeable pavement installation requires site-specific engineering and proper base, bedding and joint aggregate material
- Techniseal polymeric jointing sand recommended for non-permeable applications
- Applications include walkways, patios, accents, borders and residential driveways



DuraFusion™ Technology
A bold, vibrant finish with a smoother, tighter texture.

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

BRICKSTONE

Paver | 60mm

Brickstone is your classic rectangular paving stone. Each stone embodies a perfect blend of form and function, allowing you to create inviting pathways, charming patios and durable landscapes. Their compact size ensures easy handling and installation and allows them to be arranged in a multitude of patterns.



WALKWAY



PATIO



POOL
AREA



DRIVE
WAY

PALLET INFORMATION

BRICKSTONE		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
4 1/8 X 8 3/8 60MM	104.8 x 212.7 x 63.5 mm 4 1/8 x 8 3/8 x 2 1/2"	-	400	-	-	1273 kg / 2800 lbs

SHAPES & SIZES

4 1/8 x 8 3/8 | 60MM



104.8 x 212.7 x 63.5 mm
4 1/8 x 8 3/8 x 2 1/2"

\$1.70 ea



GREY



CHARCOAL




TAN/CHARCOAL



RED/CHARCOAL

PALLET LAYOUT



TECHNICAL SPECS

- One size ideal for inlays, borders and as a stand-alone
- Ideal for both residential and commercial applications
- 60mm units rated for residential and light commercial vehicular applications
- Comprehensive library of installation patterns
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

BROOKLYN™

Paver | 60mm

Its warm, weathered stone appearance and texture delivers a timeless look enriched with DuraFusion Technology for enhanced texture and wear-resistance.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



DRIVEWAY
APPROVED



ACCESSIBLE
SURFACE

PALLET INFORMATION

BROOKLYN™		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
3 X 9	76 x 229 x 60mm 3 x 9 x 23/8"	103.13	550	10.3	10	1262 kg / 2783 lbs

SHAPES & SIZES

3 X 9



76 x 229 x 60mm
3 x 9 x 23/8"

\$1.59 ea

30



BOURBON 



MIDNIGHT 



ROSEWOOD 

LEARN MORE

View the product page on Belgard.com for more information



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for walkways, patios, borders, accents and residential driveways
- Can be used to construct ACA (Accessible Canada Regulation) compliant pavement



DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture.

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

DIMENSIONS™

Accent | 60mm | 80mm*

Accentuate contemporary style with a smooth, linear surface that is ideal for driveways and borders and enriched with DuraFusion Technology for enhanced colour and wear-resistance.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



DRIVEWAY
APPROVED



ACCESSIBLE
SURFACE

PALLET INFORMATION

DIMENSIONS* ACCENT		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
6 X 6	152 x 152 x 60mm 6 x 6 x 23/8"	120	480	-	10	1428 kg / 3148 lbs
6 X 12	152 x 305 x 60mm 6 x 12 x 23/8"	120	240	12	10	1536 kg / 3386 lbs
6 X 12	152 x 305 x 80mm 6 x 12 x 31/8"	96	192	-	8	1228 kg / 2707 lbs
3 X 12	152 x 305 x 60mm 3 x 12 x 23/8"	110.0	440	11.0	10	1403 kg / 3092 lbs
12 X 12	305 x 305 x 60mm 12 x 12 x 23/8"	120	120	12	10	1407 kg / 3101 lbs

* Call for availability

SHAPES & SIZES

6 X 6	152 x 152 x 60mm 6 x 6 x 23/8"	\$6.30 per SqFt
6 X 12	152 x 305 x 60mm 6 x 12 x 23/8"	\$8.42 per SqFt
6 X 12	152 x 305 x 80mm 6 x 12 x 31/8"	\$4.82 ea
3 X 12	152 x 305 x 60mm 3 x 12 x 23/8"	\$8.29 per SqFt
12 X 12	305 x 305 x 60mm 12 x 12 x 23/8"	\$8.29 per SqFt



BOURBON



CHESWICK



FOG
Special Order



MIDNIGHT



PEARL
Special Order



ROSEWOOD
Special Order



SCANDINA GREY



SHADED GREY

LEARN MORE


View the product page on [Beldgard.com](http://Belgard.com) for more information




PALLET LAYOUT




3 X 12



12 X 12



6 X 6



6 X 12

TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for walkways, patios, borders, accents and residential driveways
- 80mm system rated for commercial vehicular applications
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

DIMENSIONS™

Slab | 60mm

The expansive size is distinguished by clean, crisp lines and a smooth, linear surface enriched with DuraFusion Technology for enhanced colour, texture and wear-resistance.



PALLET INFORMATION

DIMENSIONS* SLAB		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
9 X 18	229 x 457 x 60mm 9 x 18 x 23/8"	112.5	100	11.3	10	1603 kg / 3533 lbs
15 X 30	381 x 762 x 60mm 15 x 30 x 23/8"	93.8	30	9.4	10	1216 kg / 2680 lbs
12 X 24	305 x 610 x 60mm 12 x 24 x 23/8"	120	60	12	10	1543 kg / 3401 lbs
24 X 24	610 x 610 x 60mm 24 x 24 x 23/8"	80	20	8	10	1031 kg / 2273 lbs
24 X 36	610 x 915 x 60mm 24 x 36 x 23/8"	120	20	12	10	1544 kg / 3405 lbs

SHAPES & SIZES

9 X 18		229 x 457 x 60mm 9 x 18 x 23/8"	\$8.44 per SqFt
15 X 30		381 x 762 x 60mm 15 x 30 x 23/8"	\$8.44 per SqFt
12 X 24		305 x 610 x 60mm 12 x 24 x 23/8"	\$7.00 per SqFt
24 X 24		610 x 610 x 60mm 24 x 24 x 23/8"	\$7.00 per SqFt
24 X 36		610 x 915 x 60mm 24 x 36 x 23/8"	\$8.44 per SqFt



ANTHRACITE 



CHESWICK 



HICKORY
Special Order 



SCANDINA GREY 



SEPIA 




SHADED GREY 

LEARN MORE


View the product page on [Beldgard.com](http://Belgard.com) for more information




PALLET LAYOUT



12 X 24



24 X 24



24 X 36

TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Large-format size ideal for contemporary walkways, patios and poolscapes
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration



DuraFusion™ Technology
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

HERITAGE STONE

Pavers

Heritage Stone is a timeless style and crafted in three different sizes: A, B and C. With a tumbled finish that brings out a sense of antiquity. Perfectly suited for pathways, patios and outdoor living areas, Heritage Stone pavers textured surface not only adds visual intrigue but provides secure footing, making them an ideal choice for aesthetic and practical purposes.



PALLET INFORMATION

HERITAGE STONE		SQFT/ PALLET	UNITS/ PALLET	UNIT/ SQFT	LAYER/ PALLET	WEIGHT/ PALLET
STONE A	102 x 203 x 64mm 4 x 8 x 2½"	-	400	4.16	-	1182 kg / 2600 lbs
STONE B	152 x 203 x 64mm 6 x 8 x 2½"	-	280	2.80	-	1270 kg / 2800 lbs
STONE C	254 x 203 x 64mm 10 x 8 x 2½"	-	160	1.68	-	1225 kg / 2700 lbs

SHAPES & SIZES

HERITAGE STONE



102 x 203 x 64mm
4 x 8 x 2½"

\$2.40 ea



152 x 203 x 64mm
6 x 8 x 2½"

\$3.41 ea



254 x 203 x 64mm
10 x 8 x 2½"

\$5.62 ea



LAVASTONE



SANDSTONE



AUTUMN BLEND



CHARCOAL

TECHNICAL SPECS

- One size ideal for inlays, borders and as a stand-alone
- Ideal for both residential and commercial applications
- 60mm units rated for residential and light commercial vehicular applications
- Comprehensive library of installation patterns
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

HOLLAND STONE

Paver | 60mm | 80mm*

The classic architectural appearance is derived from a smooth face and clean lines to offer traditional appeal.



DRIVEWAY
APPROVED



ACCESSIBLE
SURFACE



MECHANICAL
INSTALL

PALLET INFORMATION

HOLLAND STONE		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
4 X 8 60MM	100 x 200 x 60mm 4 x 8 x 31/8"	120	540	12	10	1428 kg / 3148 lbs
4 X 8 80MM	100 x 200 x 80mm 4 x 8 x 31/8"	96	432	-	8	1498 kg / 3302 lbs

SHAPES & SIZES

4 X 8 | 60MM



100 x 200 x 60mm
4 x 8 x 31/8"

\$1.57 ea

4 X 8 | 80MM* SPECIAL ORDER



100 x 200 x 80mm
4 x 8 x 31/8"

\$2.02 ea

*80MM Special Order, All Colours | Not available in British Columbia.



CHARCOAL




GREY

LEARN MORE

View the product page on Belgard.com for more information



PALLET LAYOUT



TECHNICAL SPECS

- One size ideal for inlays, borders and as a stand-alone
- Ideal for both residential and commercial applications
- 60mm units rated for residential and light commercial vehicular applications
- 80mm units rated for heavy vehicular applications
- Comprehensive library of installation patterns
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

OLD COUNTRY STONE

Paver | 60mm

The look of naturally weathered stone catches the eye with three size options that offer a distressed smooth surface and timeless appearance for creating old world charm.



DRIVEWAY
APPROVED

PALLET INFORMATION

	OLD COUNTRY STONE	SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
TYPE 1	181 x 226 x 60mm 7 1/8 x 8 7/8 x 2 3/8"	99	225	11	9	1270 kg / 2800 lbs
TYPE 2	151 x 181 x 60mm 5 15/16 x 7 1/8 x 2 3/8"	95	324	10.6	9	1225 kg / 2700 lbs
TYPE 3	76 x 181 x 60mm 3 x 7 1/8 x 2 3/8"	95	648	10.6	9	1225 kg / 2700 lbs

SHAPES & SIZES

TYPE 1



181 x 226 x 60mm
7 1/8 x 8 7/8 x 2 3/8"

\$3.87 ea

TYPE 2



151 x 181 x 60mm
5 15/16 x 7 1/8 x 2 3/8"

\$2.59 ea

TYPE 3



76 x 181 x 60mm
3 x 7 1/8 x 2 3/8"

\$1.30 ea



CHARCOAL



HARVEST



NATURAL



SHADED GREY

LEARN MORE

View the product page on Belgard.com for more information



TECHNICAL SPECS

- Distressed profile
- 3 sizes that can be used in modular patterns or individually
- Use individually or together as a border or inlay
- Ideal for walkway, patios and residential driveways

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.




ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

ORIGINS™

Paver | 60mm

Ideal for small patios, borders and accents, these pavers offer a chiseled face enriched with DuraFusion Technology for enhanced colour, texture and wear-resistance.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



DRIVEWAY
APPROVED



ACCESSIBLE
SURFACE

PALLET INFORMATION

ORIGINS™ PAVER		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
6 X 12 60mm	152 x 305 x 60mm 6 x 12 x 23/8"	105	-	12	10	1536 kg / 3386 lbs

SHAPES & SIZES

6 X 12 | 60mm



152 x 305 x 60mm
6 x 12 x 23/8"

\$4.21 ea



CHESWICK 



IRON BAY 



MIDNIGHT 
Special Order




TEAK 
Special Order

LEARN MORE

View the product page on Belgard.com for more information



PALLET LAYOUT



TECHNICAL SPECS

- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for walkways, patios, borders, accents and residential driveways
- Suitable for ACA (Accessible Canada Regulation) compliant installations



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

TURFSTONE™

Grid Paver | 80mm

An open lattice grid design offers turf or gravel infill, creating a unique hardscape design that works in harmony with nature.



DRIVEWAY
APPROVED

PALLET INFORMATION

TURFSTONE™		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
PAVER	400 x 600 x 80mm 153/4 x 235/8 x 31/8"	103.2	40	12.9	8	930 kg / 2050 lbs

SHAPES & SIZES

PAVER



400 x 600 x 80mm
153/4 x 235/8 x 31/8"


\$15.55 ea

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



PALLET LAYOUT




TECHNICAL SPECS

- Manufactured in accordance with ASTM C1319
- Open lattice grid design for turf infill
- 40% surface opening with void space for creating a grass pavement
- Applications include driveways, parking stalls, ramps, service and emergency access lanes

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



GREY



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

VS5

Paver 88mm | 108mm

This smooth-faced paver offers complete shift prevention on all four sides of the stone, with a design that ensure stones will always fit together, regardless of rotation.



MODULAR
SIZING



ACCESSIBLE
SURFACE



MECHANICAL
INSTALL

PALLET INFORMATION


VS5		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
75 X 300 108MM	75 X 300 x 108mm 3 x 12 x 45/16"	57.6	240	-	6	1274 kg / 2808 lbs
150 X 300 108MM	150 X 300 x 108mm 6 x 12 x 45/16"	70.2	144	-	6	1403 kg / 3095 lbs
300 X 300 108MM	300 X 300 x 108mm 12 x 12 x 45/16"	70.2	72	-	6	1536 kg / 3387 lbs
300 X 600 108MM	300 X 600 x 108mm 12 x 24 x 45/16"	70.2	36	-	6	1403 kg / 3095 lbs
75 X 300 88MM	75 X 300 x 88mm 3 x 12 x 3.46"	67.2	280	-	7	1190 kg / 2623 lbs
150 X 300 88MM	150 X 300 x 88mm 6 x 12 x 3.46"	81.9	168	-	7	1267 kg / 2793 lbs
300 X 300 88MM	300 X 300 x 88mm 12 x 12 x 3.46"	81.9	84	-	7	1344 kg / 2963 lbs
300 X 600 88MM	300 X 600 x 88mm 12 x 24 x 45/16"	81.9	42	-	7	1309 kg / 2885 lbs

SHAPES & SIZES

75 X 300 108MM		
	75 X 300 x 108mm 3 x 12 x 45/16"	\$12.42 per SqFt
150 X 300 108MM		
	150 X 300 x 108mm 6 x 12 x 45/16"	\$12.42 per SqFt
300 X 300 108MM		
	300 X 300 x 108mm 12 x 12 x 45/16"	\$12.42 per SqFt
300 X 600 108MM		
	300 X 600 x 108mm 12 x 24 x 45/16"	\$12.42 per SqFt
75 X 300 88MM		
	75 X 300 x 88mm 3 x 12 x 3.46"	\$10.39 per SqFt
150 X 300 88MM		
	150 X 300 x 88mm 6 x 12 x 3.46"	\$10.39 per SqFt
300 X 300 88MM		
	300 X 300 x 88mm 12 x 12 x 3.46"	\$10.39 per SqFt
300 X 600 88MM		
	300 X 600 x 88mm 12 x 24 x 45/16"	\$10.39 per SqFt



MIDNIGHT



NATURAL



SHADED GREY



TOFINO GREY

This is a made to order product, please call for more information.

LEARN MORE

View the product page on Belgard.com for more information



TECHNICAL SPECS

- Designed to be diagonally symmetrical so the pavers always fit together, regardless of how they are rotated.
- Multiple sizes allow for modularity and virtually limitless design options
- Manufactured to CSA A231.2 specification
- Concrete strength: 8000 PSI (55 MPA)
- Absorption: Shall not exceed 5%
- Can be utilized to construct an ACA (Accessible Canada Regulation) compliant pavement
- Ideal for a wide variety of commercial and residential pedestrian and vehicular applications

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the out sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

WINDSOR

Pavers

Our Windsor Slab Collection is designed with clean edges and a smooth top finish for a modern look. The slabs consist of 3 different sizes which can be installed individually, or in any combination of the 3 sizes. This enables the customer to create a variety of interesting and unique patterns.



WALKWAY



PATIO



POOL
AREA

PALLET INFORMATION

WINDSOR SLAB		SQFT/ PALLET	UNITS/ PALLET	UNIT/ SQFT	LAYER/ PALLET	WEIGHT/ PALLET
SIZE A	203 x 406 x 60mm 8 x 16 x 2 3/8"	-	120	0.89	-	1305 kg / 3000 lbs
SIZE B	406 x 406 x 60mm 16 x 16 x 2 3/8"	-	60	1.77	-	1253 kg / 3000 lbs
SIZE C	406 x 609 x 60mm 16 x 24 x 2 3/8"	-	40	2.67	-	1253 kg / 2880 lbs

SHAPES & SIZES

WINDSOR SLAB



203 x 406 x 60mm
8 x 16 x 2 3/8"

\$7.03 ea



406 x 406 x 60mm
16 x 16 x 2 3/8"

\$16.15 ea



406 x 609 x 60mm
16 x 24 x 2 3/8"

\$18.84 ea



CHARCOAL



TAN/CHARCOAL

TECHNICAL SPECS

- Single paver ideal for a clean, timeless appearance
- Suitable for walkways, patios, and pool surrounds
- Can be used to create a variety of laying patterns and outdoor designs
- Ideal for both contemporary and traditional landscape projects
- Can be used as a primary paving surface or as an accent feature
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

BRICKFACE SLAB

Pavers

Our Designer Slab Collection brings a blend of function and sophistication to your outdoor spaces. Each slab has a brick-type top surface that elevates the look of your landscape. The Brickstone like surface pattern is offered in Tan/Charcoal which compliment warm and earthy toned surroundings.



WALKWAY



PATIO



POOL
AREA

PALLET INFORMATION

BRICKFACE SLAB		SQFT/ PALLET	UNITS/ PALLET	UNIT/ SQFT	LAYER/ PALLET	WEIGHT/ PALLET
SIZE	457 x 457 x 60mm 18 x 18 x 2 3/8"	-	40	2.25	-	1040 kg / 2320 lbs

SHAPES & SIZES

BRICKFACE SLAB



457 x 457 x 60mm
18 x 18 x 2 3/8"

\$16.99 ea



TAN/CHARCOAL

TECHNICAL SPECS

- Single paver ideal for a clean, timeless appearance
- Suitable for walkways, patios, and pool surrounds
- Can be used to create a variety of laying patterns and outdoor designs
- Ideal for both contemporary and traditional landscape projects
- Can be used as a primary paving surface or as an accent feature
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

COBBLEFACE SLAB

Pavers

Our Designer Slab Collection brings a blend of function and sophistication to your outdoor spaces. Each slab has a brick-type top surface that elevates the look of your landscape. The intricate cobble surface pattern is offered in Grey/Charcoal and Tan/Charcoal which compliment a variety of outdoor styles.



WALKWAY



PATIO



POOL
AREA

PALLET INFORMATION

COBBLEFACE SLAB	SIZE	SQFT/ PALLET	UNITS/ PALLET	UNIT/ SQFT	LAYER/ PALLET	WEIGHT/ PALLET
	457 x 457 x 57mm 18 x 18 x 2¼"	-	40	2.25	-	1040 kg / 2320 lbs

SHAPES & SIZES

COBBLEFACE SLAB



457 x 457 x 57mm
18 x 18 x 2¼"

\$16.99 ea



GREY/CHARCOAL



TAN/CHARCOAL

TECHNICAL SPECS

- Single paver ideal for a clean, timeless appearance
- Suitable for walkways, patios, and pool surrounds
- Can be used to create a variety of laying patterns and outdoor designs
- Ideal for both contemporary and traditional landscape projects
- Can be used as a primary paving surface or as an accent feature
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

MANHATTEN SLAB

Pavers

Our Designer Slab Collection brings a blend of function and sophistication to your outdoor spaces. Each slab has a brick-type top surface that elevates the look of your landscape. This larger slab offers a unique pattern involving an 8x8 square surrounded by 8x16 rectangles.



WALKWAY



PATIO



POOL
AREA

PALLET INFORMATION

MANHATTEN SLAB		SQFT/ PALLET	UNITS/ PALLET	UNIT/ SQFT	LAYER/ PALLET	WEIGHT/ PALLET
SIZE	610 x 610 x 44mm 24 x 24 x 1 3/4"	-	25	4	-	1045 kg / 2300 lbs

SHAPES & SIZES

MANHATTEN SLAB



457 x 457 x 44mm
24 x 24 x 1 1/4"

\$24.50 ea



GREY



BROWN



CHARCOAL

TECHNICAL SPECS

- Single paver ideal for a clean, timeless appearance
- Suitable for walkways, patios, and pool surrounds
- Can be used to create a variety of laying patterns and outdoor designs
- Ideal for both contemporary and traditional landscape projects
- Can be used as a primary paving surface or as an accent feature
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

OLD TOWN PAVER

Pavers

Oldtown is a 8x12 paver that has four distinct top designs which bring an artistic flair to your landscapes, pathways or patios. Use your creativity to arrange these versatile pavers and craft designs that reflect your unique style.



WALKWAY



PATIO



POOL
AREA



DRIVE
WAY

PALLET INFORMATION

OLD TOWN PAVER		SQFT/ PALLET	UNITS/ PALLET	UNIT/ SQFT	LAYER/ PALLET	WEIGHT/ PALLET
SIZE	195 x 295 x 60mm 7 3/4 x 11 3/4 x 2 3/8"	-	160	1.6	-	1275 kg / 2800 lbs

SHAPES & SIZES

OLD TOWN PAVER



195 x 295 x 60mm
7 3/4 x 11 3/4 x 2 3/8"

Special Order



GREY/CHARCOAL



WALNUT



TAN/CHARCOAL



CHARCOAL

TECHNICAL SPECS

- 8" x 12" paver featuring four distinct surface designs for added visual interest
- Ideal for creating unique patterns and customized outdoor spaces
- Suitable for walkways, patios, pathways, and residential driveways
- Versatile design complements both traditional and contemporary landscapes
- Multiple surface patterns can be combined to create a natural, artistic appearance
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

QUADRAL SLAB

Paver | 60mm

Enriched with DuraFusion Technology for enhanced colour, texture and wear-resistance, this paver features an irregular shape and six distinct false joint textures to create an authentic random-laid natural flagstone look with no detectable pattern.



PALLET INFORMATION

QUADRAL SLAB		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
PAVER	406 x 406 x 50mm 16 x 16 x 2"	-	75	-	15	1380 kg / 3043 lbs

SHAPES & SIZES

PAVER



406 x 406 x 50mm
16 x 16 x 2"

\$10.25 ea



EARTH BLEND 



SHADOW BLEND 

LEARN MORE

View the product page on [Beldard.com](http://Belgard.com) for more information

TECHNICAL SPECS

- Six distinct textures on every pallet
- Natural looking profile and faux joints*
- No detectable pattern



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture

* For best results with false-joint pavers, finish joints with Techniseal NextGel polymeric jointing sand

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Beldard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the out sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

SLATE SLAB

Pavers

Our Designer Slab Collection brings a blend of function and sophistication to your outdoor spaces. Each slab has a brick-type top surface that elevates the look of your landscape.



WALKWAY



PATIO



POOL
AREA

PALLET INFORMATION

SLATE SLAB		SQFT/ PALLET	UNITS/ PALLET	UNIT/ SQFT	LAYER/ PALLET	WEIGHT/ PALLET
SIZE A	457 x 457 x 57mm 18 x 18 x 2¼"	-	40	2.25	-	1040 kg / 2320 lbs
SIZE B	610 x 610 x 44mm 24 x 24 x 1¼" *Charcoal Only	-	25	4	-	1045 kg / 2300 lbs

SHAPES & SIZES

SLATE SLAB



457 x 457 x 57mm
18 x 18 x 2¼"

\$17.75 ea



457 x 457 x 44mm
24 x 24 x 1¼"
*Charcoal Only

\$20.49 ea



GREY/CHARCOAL



WALNUT



BUFF/BROWN



CHARCOAL (24x24 ONLY)

TECHNICAL SPECS

- Single paver ideal for a clean, timeless appearance
- Suitable for walkways, patios, and pool surrounds
- Can be used to create a variety of laying patterns and outdoor designs
- Ideal for both contemporary and traditional landscape projects
- Can be used as a primary paving surface or as an accent feature
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

SARANAK SLAB

Paver | 60mm

Saranak Slabs offer a natural chiseled slate appearance, premium colour blends, and a durable, slip-resistant concrete surface.



PALLET INFORMATION

SARANAK SLAB		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
16 X 16	406 x 406 x 50mm 16 x 16 x 2"	-	60	-	10	1066 kg / 2351 lbs
16 X 24	406 x 600 x 50mm 16 x 24 x 2"	-	40	-	10	1058 kg / 2333 lbs

SHAPES & SIZES

PAVER



406 x 406 x 50mm
16 x 16 x 2"

\$11.63 ea



406 x 600 x 50mm
16 x 24 x 2"

\$16.89 ea

*Both are discontinued
(limited supply)



GRAPHITE 



SHADOW BLEND 

LEARN MORE

View the product page on Belgard.com for more information

TECHNICAL SPECS

- Six distinct textures on every pallet
- Natural looking profile and faux joints*
- No detectable pattern



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture

* For best results with false-joint pavers, finish joints with Techniseal NextGel polymeric jointing sand

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

DIAMOND SLAB

Paver | 45mm

Our Grey Slab Collection are a practical and cost-effective solution for your patio, walkway or outdoor spaces. These slabs offer durability and functionality without compromising quality. While they may not boast intricate designs, their straightforward style allows for flexible use and integration into various outdoor settings



WALKWAY



PATIO



POOL
AREA

PALLET INFORMATION

DIAMOND SLAB		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
24 x 24	600 x 600 x 45mm 24 x 24 x 1 3/4"	96	25	-	-	1045 kg / 2300 lbs
24 x 30	600 x 750 x 45mm 24 x 30 x 1 3/4"	96	25	-	-	1284 kg / 2825 lbs

SHAPES & SIZES

DIAMOND SLAB



600 x 600 x 45mm
24 x 24 x 1 3/4"

\$18.48 ea



600 x 750 x 45mm
24 x 30 x 1 3/4"

\$19.99 ea



TECHNICAL SPECS

- Practical and cost-effective slab for a variety of outdoor applications
- Suitable for patios, walkways, and outdoor living spaces
- Clean, simple design complements a wide range of landscape styles
- Durable and functional solution for residential projects
- Easy to integrate into both new and existing outdoor spaces
- Available in a versatile grey colour to suit many design aesthetics
- Our bulk jointing sand can be used to fill slab joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.

GREY



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

PATIO SLAB

Pavers

Our Grey Slab Collection are a practical and cost-effective solution for your patio, walkway or outdoor spaces. These slabs offer durability and functionality without compromising quality. While they may not boast intricate designs, their straightforward style allows for flexible use and integration into various outdoor settings



WALKWAY



PATIO

PALLET INFORMATION

PATIO SLAB		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
8 X16	203 x 406 x 40mm 8 x 16 x 2½"	-	240	-	-	1625 kg / 3657 lbs
16 X16	406 x 406 x 63mm 16 x 16 x 2½"	-	60	-	-	1359 kg / 3057 lbs

SHAPES & SIZES

PATIO SLAB



203 x 406 x 40mm
8 x 16 x 2½"

\$4.09 ea



406 x 406 x 63mm
16 x 16 x 2½"

\$14.99 ea



TECHNICAL SPECS

- Practical and cost-effective slab for a variety of outdoor applications
- Suitable for patios, walkways, and outdoor living spaces
- Clean, simple design complements a wide range of landscape styles
- Durable and functional solution for residential projects
- Easy to integrate into both new and existing outdoor spaces
- Available in a versatile grey colour to suit many design aesthetics
- Our bulk jointing sand can be used to fill slab joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.

GREY



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

TEXADA

Hydrapressed Slab | 40mm* | 50mm

This large slab, with its slightly rough shot-blast finish and clean lines, is enriched with DuraFusion Technology for enhanced colour, texture and wear-resistance.



PALLET INFORMATION

TEXADA SLAB		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
18 X 18	457 x 457 x 40mm 18 x 18 x 15/8"	135	60	9	15	1315 kg / 2900 lbs
12 X 24	305 x 610 x 50mm 12 x 24 x 2"	96	48	8	12	1043 kg / 2300 lbs
24 X 24	610 x 610 x 50mm 24 x 24 x 2"	100	25	-	-	1089 kg / 2400 lbs

SHAPES & SIZES

18 X 18		457 x 457 x 50mm 18 x 18 x 15/8"	\$25.44 ea
12 X 24		305 x 610 x 50mm 12 x 24 x 2"	\$22.31 ea
24 X 24		610 x 610 x 50mm 24 x 24 x 2"	\$35.85 ea

18x18 & 12x24 - Special Order in Prairies
*40mm only available in 18x18.



CHARCOAL 



DESERT SAND 



NATURAL GREY 

LEARN MORE

View the product page on Belgard.com for more information



TECHNICAL SPECS

- Ideal for sand-set, adhered overlay and pedestal applications
- Clean lines and large size ideal for contemporary plaza deck designs or elegant rooftop projects
- Hydraulically pressed resulting in high density and flexural strength for ultimate durability
- Exceeds stringent point load and wind load requirements
- Suitable for ACA (Accessible Canada Regulation) compliant installations



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the out sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

EMPIRE™

Paver | 60mm

The plank shape and hand-tooled face are enriched by DuraFusion Technology for enhanced texture and wear-resistance with seven distinct face styles for unique pattern creation.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



ACCESSIBLE
SURFACE

PALLET INFORMATION

EMPIRE™		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
PLANK	76 x 305 x 60mm 3 x 12 x 23/8"	110	440	11	10	1402 kg / 3092 lbs

SHAPES & SIZES

PLANK




76 x 305 x 60mm
3 x 12 x 23/8"

\$2.27 ea



MIDNIGHT 



SCANDINA GREY 

LEARN MORE

View the product page on Belgard.com for more information



TECHNICAL SPECS

- 7 unique textures per pallet
- Ideal for patios, walkways and accents
- Contemporary twist for classic herringbone and basketweave designs
- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Can be used to construct an ACA (Accessible Canada Regulation) compliant pavement



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

VENICE PLANK

Paver | 60mm

Easy to work with, these handsome 5x18 inch plank paving stones can be installed in patios, on stairs, or in walkways, easily. The wood textured surface and the longer length of the Venice paver creates a pattern that will give your space a unique look that really stands out. The Venice paver gives your backyard, patio, or outdoor space a timeless elegance that you'll love showing off for years to come.



WALKWAY



PATIO



POOL
AREA

PALLET INFORMATION

VENICE PLANK		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
PLANK	127 x 457 x 60mm 5 x 18 x 2 3/8"	112.5	180	-	-	1309 kg / 2880 lbs

SHAPES & SIZES

PLANK



127 x 457 x 60mm
5 x 18 x 2 3/8"

\$5.99 ea



TECHNICAL SPECS

- 5" x 18" plank paver with a realistic wood-textured surface
- Ideal for walkways, patios, stairs, and outdoor living spaces
- Long plank format creates distinctive patterns and a unique visual appeal
- Provides the look of natural wood with the durability of concrete
- Suitable for both contemporary and traditional landscape designs
- Creates a warm, timeless aesthetic for residential outdoor spaces
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



GREY/CHARCOAL



BUFF/BROWN



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

FLAGSTONE

Paver | 60mm

Enriched with DuraFusion Technology for enhanced colour, texture and wear-resistance, this paver features an irregular shape and six distinct false joint textures to create an authentic random-laid natural flagstone look with no detectable pattern.



PALLET INFORMATION

FLAGSTONE		SQFT/ PALLET	UNITS/ LAYER	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
PAVER	381 x 501 x 60mm 15 x 19 3/4 x 23/8"	81	-	9	9	1014 kg / 2235 lbs

SHAPES & SIZES

PAVER



381 x 501 x 60mm
15 x 19 3/4 x 23/8"

\$12.73 ea



GRANITE 



SANDALWOOD 

LEARN MORE

View the product page on Belgard.com for more information



TECHNICAL SPECS

- Six distinct textures on every pallet
- Natural looking profile and faux joints*
- No detectable pattern



DuraFusion® Technology
A bold, vibrant finish with a smoother, tighter texture

* For best results with false-joint pavers, finish joints with Techniseal NextGel polymeric jointing sand

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

GEOMETRIC SHAPES

Paver | 60mm

Enriched with DuraFusion Technology for enhanced colour, texture and wear-resistance, these pavers offer a smooth face in two size-compatible shapes to create ultra-modern and art deco designs.



MODULAR
SIZING



DURAFUSION
TECHNOLOGY



ACCESSIBLE
SURFACE

PALLET INFORMATION

GEOMETRIC SHAPES		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
HALF HEXAGON	300 x 150 x 60mm 12 x 6 x 23/8"	110.95	350	11.00	10	551 kg / 1214 lbs
HEXAGON	300 x 300 x 60mm 12 x 12 x 23/8"	91.3	140	9.13	10	1118 kg / 2465 lbs

SHAPES & SIZES

HALF HEXAGON



300 x 150 x 60mm
12 x 6 x 23/8"

\$2.95 ea

HEXAGON



300 x 300 x 60mm
12 x 12 x 23/8"

\$6.02 ea



ANTHRACITE 
Not Available in Half Hexagon



CHESWICK 



SCANDINA GREY 




SHADED GREY 
Not Available in Half Hexagon

LEARN MORE

View the product page on [Beldgard.com](http://Belgard.com) for more information



PALLET LAYOUT



TECHNICAL SPECS

- All Geometric Shapes sized to work together
- True 3" increments for simplified design, quoting and ordering
- Compatible with all modular paver lines—look for Modular Sizing icon
- Modular dimensions reduce cuts, installation time, and waste
- Modular compatibility allows more creative pattern options
- Maximized pallet layout for jobsite efficiencies
- Ideal for patios, walkways and inlaid designs
- Surface and micro-chamfer meet Canadian accessibility standards and help reduce wheelchair vibration



DuraFusion™ Technology
A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at Belgard.com/Warranty

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

EXPOSED™

Paver | 45mm

Exposed aggregate pavers are pre-cast concrete slabs or stones with a textured surface that reveals decorative pebbles and stones. They provide a slip-resistant, highly durable finish perfect for patios, walkways, and pool decks.



PALLET INFORMATION

EXPOSED™		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
SQUARE	406 x 406 x 45mm 16 x 16 x 1¾"	148	84	-	-	1376 kg / 3033 lbs
ROUND	500 x 45mm 20 x 1¾"	-	50	-	-	1038 kg / 2287 lbs

SHAPES & SIZES

EXPOSED



406 x 406 x 45mm
16 x 16 x 1¾"

\$23.11 ea



500 x 45mm
20 x 1¾"
*Discontinued

\$27.93 ea



EXPOSED 

TECHNICAL SPECS

- Ideal for patios, walkways, and pool decks
- Exposed aggregate surface provides a natural, decorative finish with visible stone texture
- Slip-resistant and highly durable for long-lasting performance
- Suitable for creating classic and contemporary landscape designs
- Enhances outdoor spaces with a textured, architectural appearance
- Compatible with a wide range of residential hardscape applications
- Designed for efficient installation and reduced maintenance



DuraFusion™ Technology

A bold, vibrant finish with a smoother, tighter texture

QUALITY FOR LIFE

Every step of our manufacturing process incorporates rigorous research, testing and quality assurance. We demand the highest quality from each of our facilities across North America. We believe in creating world class building products that stand the test of time. See our lifetime warranty at [Beldgard.com/Warranty](http://Belgard.com/Warranty)

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

ROUND SLAB

Pavers

Our Grey Slab Collection are a practical and cost-effective solution for your patio, walkway or outdoor spaces. These slabs offer durability and functionality without compromising quality. While they may not boast intricate designs, their straightforward style allows for flexible use and integration into various outdoor settings



WALKWAY



PATIO

PALLET INFORMATION

PATIO SLAB		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
16 in	406 x 63mm 16 x 2½"	-	60	-	-	1055 kg / 2397 lbs

SHAPES & SIZES

PATIO SLAB



406 x 63mm
16 x 2½"

\$14.61 ea



TECHNICAL SPECS

- Practical and cost-effective slab for a variety of outdoor applications
- Suitable for patios, walkways, and outdoor living spaces
- Clean, simple design complements a wide range of landscape styles
- Durable and functional solution for residential projects
- Easy to integrate into both new and existing outdoor spaces
- Available in a versatile grey colour to suit many design aesthetics
- Our bulk jointing sand can be used to fill slab joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.

GREY



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

CIRCLESTONE CIRCLE KIT

Paver Kit

Pre-packaged 8.4 ft diameter Circlestone kit covering 56 sq. ft., featuring interlocking concrete pavers designed to form a perfect concentric circle



WALKWAY



PATIO



POOL
AREA



DRIVE
WAY

PALLET INFORMATION

CIRCLE KIT		SQFT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
KIT	8.4ft Diameter	56	410	-	-	773 kg / 1700 lbs

SHAPES & SIZES

CIRCLE KIT



8.4ft Diameter

\$521.75 kit



GREY/CHARCOAL



WALNUT



RED/TAN/CHARCOAL



TAN/CHARCOAL

TECHNICAL SPECS

- Pre-packaged 8.4 ft diameter Circlestone kit covering 56 sq. ft.
- Interlocking concrete pavers designed to form a perfect concentric circle pattern
- Suitable for walkways, patios, pool areas, and residential driveways
- Our bulk jointing sand can be used to fill paver joints for a clean, finished appearance

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

EDGERS

Edgers

Paver edgers can be used to enhance the curb appeal of your home and finish your walkway, driveway, or flowerbed borders with a decorative border.



PALLET INFORMATION

EDGERS		LIN.FT/ PALLET	UNITS/ PALLET	SQFT/ LAYER	LAYER/ PALLET	WEIGHT/ PALLET
BULLET	102 x 305 x 95mm 4 x 12 x 3 3/4"	-	160	-	-	928 kg / 2080 lbs
STRATUS	80 x 305 x 60mm 3 x 12 x 3"	320	320	-	8	1322 kg / 2914 lbs
ICON	102 x 305 x 50mm 4 x 12 x 2"	200	200	-	5	1428 kg / 3148 lbs

SHAPES & SIZES

BULLET EDGER



102 x 305 x 40mm
4 x 12 x 2"

\$3.96 ea

STRATUS EDGER



80 x 305 x 60mm
3 x 12 x 3"
*Discontinued

\$3.96 ea

ICON EDGER



102 x 305 x 50mm
4 x 12 x 2"

\$4.75 ea



CHARCOAL



BUFF/BROWN



CHARCOAL



CHARCOAL

TECHNICAL SPECS

- Paver edger units designed specifically for creating clean, defined borders
- Ideal for framing walkways, patios, pool areas, and landscape features
- Helps maintain paver alignment and prevent edge movement over time
- Can be used to finish both straight and curved landscape edges
- Provides a polished, professional transition between hardscape and surrounding areas
- Compatible with a wide range of paver systems and layouts

Due to the natural materials in our products, colours may vary from those shown on the cut sheet. We recommend viewing actual product samples to ensure the perfect colour and finish for each project.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

PAVER EDGING

Edgers

Plastic paver edging provides a flexible and durable restraint system designed to keep paving stones securely aligned and in place, helping maintain clean lines and prevent lateral movement over time.



INFORMATION

PAVER EDGING (INDUSTRIAL)

15ft Strip



\$64.00 ea

PAVER EDGING (PLASTIC)

20ft Roll with Plastic Stakes



\$36.49 ea

9" METAL STAKES



\$1.75 ea

10" NAILS



\$1.79 ea

CUTTING BRICKS

Timeframe: *Your block will be cut within 2 - 5 business days. We will call you when it is ready for pickup.*



Step 1: Measure, Mark & Drop Off

Measure your block and clearly mark where you would like it cut. Then bring it to our store.

Step 2: We Cut Your Block

Our team will cut your block within 2 - 5 business days. If it is finished sooner, we will call you right away.

Step 3: Pick Up Your Block

Pick up your cut block once you receive our call.



Block Cutting Prices Less than 10 cuts

Paver Size

3" x 3" to 8" x 8"

Larger than 8" x 8"

Price

\$20.00 per cut + tax

\$30.00 per cut + tax

Orders with 10 or more cuts:

Volume pricing available. Please contact us for a quote.

****Straight Cuts Only****

ORDERING BRICKS

Looking for a brick that isn't currently in stock? We can special order it for you.

Step 1: Choose Your Brick & Color

Pick the brick style and color you would like to order.

Step 2: Order a Full Pallet

Special order bricks must be purchased by the full pallet.

Step 3: Pay a 50% Deposit

A 50% non-refundable deposit is required when placing your order.

Step 4: We Order Your Bricks

Your bricks will be made and shipped to our store.

Step 5: We'll Call You

We will contact you when your order is ready for pickup or delivery.



Order Timeframe

Most special orders take between **3 days and 6 weeks**.

Order times vary depending on:

- Availability
- Production schedules
- Trucking and delivery times

Once your order has been placed, we can provide a more accurate estimated arrival date.

Please Note

- Special order bricks are sold by the full pallet only.
- Colors, sizes, and styles may vary by season and availability.
- Some products may be temporarily unavailable or discontinued.
- Slight color variations may occur between production batches.

IN-STOCK BRICKS

Need just a few bricks?

We stock a variety of bricks at our store that are available for immediate purchase.

Buy as little as one brick or as many as you need.

Bricks can be reserved for pickup or delivery.

Availability may vary.

Questions? Call us or visit the store to see our current selection.



Please Note

- Colors, sizes, and styles may vary by season and availability.
- Some products may be temporarily unavailable or discontinued.
- Discontinued bricks are final sale.
- Slight color variations may occur between production batches.



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

PICKING UP BRICKS

Please bring an appropriate vehicle for picking up your order

All orders must be paid for in-store before pickup.

Small Quantity Brick Purchases

- Bricks will be hand-loaded into your vehicle
- Small quantities will be loaded manually by yourself or staff
- Please ensure your vehicle is suitable for transport

Pallet Pickup Orders

- If your order is a full pallet:
- Bricks will be shrink-wrapped on a pallet
- Pallet is \$45.00 per pallet and is refundable (following policy)
- Pallets will only be loaded onto **flat deck trailers**

Important Loading Requirements

For safety and to prevent damage:

- We do not load pallets into pickup trucks with wheel wells, as this can cause damage to the vehicle and unsafe loading conditions
- We do not load pallets onto trailers with boxes or enclosed sides that prevent safe loading
- Proper flat deck trailers are required for pallet loading



DELIVERING BRICKS

Delivery Pricing

We deliver across the province.

Local Delivery (Saskatoon, Martensville, Warman)

- Delivery charge: \$348.00 for 1–3 pallets
- Each additional pallet (over 3): + \$30.00 per pallet

Outside Saskatoon City Limits

- Delivery charge: \$348.00 for 1–3 pallets
- Plus \$6.25 per km (one-way distance from city limits)
- Each additional pallet (over 3): + \$30.00 per pallet

How Delivery Works

- Bricks are placed on a pallet and securely shrink-wrapped
- Pallet is \$45.00 per pallet and is refundable (following policy)
- Orders are transported on our flat deck trailer
- We use a forklift for safe loading and unloading
- At your site, we unload the pallets and place them in the agreed location (where accessible)

Site Requirements

Bricks must be placed in a **safe and accessible area** for unloading

The delivery area must allow safe access for the equipment



ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

BRICK RETURN

The following items are **NON-REFUNDABLE** and **NON-RETURNABLE**:

- Broken bricks
- Chipped bricks
- Cracked bricks
- Marked or scratched bricks
- Special order bricks
- Full pallets
- Discontinued bricks (FINAL SALE)

Returnable Items

Only bricks that are **in usable condition** may be returned for a refund.

Return Conditions

Returns must be made within **14 days** of purchase (in-store pickup or delivery date).

Bricks must be returned in **good, usable condition**.

Refunds will only be issued after inspection and approval.

For more information, please refer to our full return policy on our website.

Non Returnable



Returnable




PALLET RETURN

If a pallet is returned within **14 days** of the receipt date and is in **usable condition**, a refund may be issued.

Damaged pallets are NON-REFUNDABLE, defined as pallets with:

- Two or more boards missing or broken, and/or
- One or more stringers missing or broken

For more information, please refer to our full return policy on our website.





Returnable Pallet

Missing board, but stringers are still intact

Returnable Pallet

Broken board, but stringers are still intact




Unreturnable Pallet

Stringers have broken ends

Unreturnable Pallet

Stringers are broken



ALLAN'S
LANDSCAPING LTD


Location: 777 60th Street West, Saskatoon SK, S7K 3J7
Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7
Phone Number: 306-384-4763
Email: info@allans.blue

LAYING PATTERN IDEAS


**Important
Note** Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Brooklyn™

Running Bond | 100% 3 x 9




Basket Weave | 100% 3 x 9



Charlestone™

Running Bond | 25% 6 x 6, 33% 6 x 9, 42% 6 x 12




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Dimensions™ 6 | Origins™ 6


3-Piece



Herringbone



Running Bond




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Dimensions™ 12 | Origins™ 12


3-Piece



Herringbone



Running Bond




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Dimensions™ 18 | Origins™ 18 | Papyrus™ 18


Pattern A



Pattern B



Pattern C




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Dimensions™ Paver


Running Bond | 100% 3 x 12




Basket Weave | 100% 3 x 12



Herringbone | 100% 3 x 12



Running Bond | 100% 6 x 9




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Dimensions™ Paver


Basket Weave | 100% 6 x 9




Herringbone | 100% 6 x 9



Running Bond | 100% 6 x 12



Herringbone | 100% 6 x 12




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Dimensions™ Slab

Stack Bond | 100% 12 x 24




Running Bond | 100% 12 x 24




Geometric Shapes

Hexagon | 100% 10 2/5 x 12



Half Hexagon | 1100% 12 x 6




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Holland Stone


Running Bond | 100% 4 x 8



Herringbone | 100% 4 x 8



Basket Weave | 100% 4 x 8




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Aqualine™

Running Bond | 100% 4½ x 9




Basket Weave | 100% 4½ x 9




Classic Standard

Double Standard | 50% Double Standard, 50% Standard



Dimensions™ Slab | Texada

Herringbone | 100% 12 x 24




Important Note


Some patterns may not necessarily reflect the percentages of stone sizes within a particular pallet. In some cases you may have extras in one or more of the sizes. **This must be accounted for in your planning and design.**

Old Country Stone

45° Basket Weave | 100% Type 2




Running Bond | 50% Type 1, 34% Type 2, 16% Type 3




VS5

Herringbone | 100% 3 x 12



Pattern 3





ALLAN'S
LANDSCAPING LTD

Location: 777 60th Street West, Saskatoon SK, S7K 3J7

Mailing Address: PO Box 608 RR4 Site 413, Saskatoon SK, S7K 3J7

Phone Number: 306-384-4763

Email: info@allans.blue